

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21	1	"6349064".pn. and redundant near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:00
S22	16	(US-20020075733-\$ or US-20020021592-\$ or US-20030237033-\$ or US-20040042289-\$ or US-20030101370-\$ or US-20040205308-\$).did. or (US-6065141-\$ or US-6349064-\$ or US-6480428-\$ or US-5684746-\$ or US-5617365-\$ or US-6574763-\$ or US-6940765-\$ or US-5732029-\$ or US-5808948-\$ or US-5848003-\$). did.	US-PGPUB; USPAT	OR	ON	2006/09/27 10:43
S23	3	S22 and redundant near3 address near3 stor\$3	US-PGPUB; USPAT	OR	ON	2006/09/27 10:43
S24	122	(redundan\$3 near3 (cell memory)). ab. and test and redundant near3 address near3 stor\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:15
S25	17	(redundan\$3 near3 (cell memory)). ab. and test and redundant near3 address near3 stor\$3 near3 redundant adj (unit cell line)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:43
S26	0	(redundan\$3 near3 (cell memory)). ab. and test and redundant near3 address near3 stor\$3 near3 own	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:43
S27	0	(redundan\$3 near3 (cell memory)). ab. and test and redundant near3 address near3 stor\$3 near3 back	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:47
S28	1	(redundan\$3 near3 (cell memory)). ab. and topology near3 sensitivity	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:47
S29	31	(redundan\$3 near3 (cell memory)). ab. and topology	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:49
S30	10	(redundan\$3 near3 (cell memory)). ab. and without near3 package	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:07
S31	1	(redundan\$3 near3 (cell memory)). ab. and topology near3 analy\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 11:49

EAST Search History

S32	2	(redundan\$3 near3 (cell memory)). ab. and open\$3 near3 package	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:09
S33	0	(redundan\$3 near3 (cell memory)). ab. and own adj address near3 written	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:10
S34	0	(redundan\$3 near3 (cell memory)). ab. and own adj address with written	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:10
S35	2913565	(redundan\$3 near3 (cell memory)). ab. and own adj address w	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:10
S36	15	(redundan\$3 near3 (cell memory)). ab. and own adj address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:23
S37	75	(redundan\$3 near3 (cell memory)) and own adj address not S36	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:23
S38	5	(redundan\$3 near3 (cell memory)) and own adj address near3 stor\$3 not S36	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 12:24
S39	4	(redundan\$3 near3 (cell memory)) and own adj address near3 writ\$4 not S36	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:00
S40	7	(redundan\$3 near3 (cell memory)) same own adj address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:01
S41	90	(redundan\$3 near3 (cell memory)) and own adj address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:01
S42	12	(redundan\$3 near3 (cell memory)) and own adj address near5 (stor\$4 writ\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:04
S43	1	(redundan\$3 near3 (cell memory)) same pointer near3 itself	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:03
S44	21	(redundan\$3 near3 (cell memory)) and itself near3 address near5 (stor\$4 writ\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:08
S45	2	(redundan\$3 near3 (cell memory)) and itself near3 pointer near5 (stor\$4 writ\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:09
S46	1	(redundan\$3 near3 (cell memory)) and itself near3 pointer near3 points	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:26

EAST Search History

S47	1	(redundan\$3) near3 (stor\$4 writ\$4) near3 own near3 address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:14
S48	2	(redundan\$3) with (stor\$4 writ\$4) near3 own near3 address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:31
S49	1	(redundan\$3) with pointer near3 point near3 itself	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:30
S50	1	(redundan\$3) same pointer near3 point near3 itself	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:19
S51	0	365/200.ccls. and pointer near3 point near3 itself	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:19
S52	1	365/200.ccls. and (stor\$4 writ\$4) near3 own near3 address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:20
S53	4016	365/200.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:21
S54	2154	365/200.ccls. and redundan\$2 near3 (memory cell)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:21
S55	1001	365/200.ccls. and (redundan\$2 near3 (memory cell)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:21
S56	185	(redundan\$3) and (stor\$4 writ\$4) near3 own near3 address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:24
S57	8	(redundan\$3) same (stor\$4 writ\$4) near3 own near3 address	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:24
S58	0	(spare near3 (cell memory)) and itself near3 pointer near3 points	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:27
S59	3661	(spare near3 (cell memory))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:27
S60	10216	(redundan\$2 near3 (cell memory))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:27
S61	0	(redundan\$3) with (stor\$4 writ\$4) near3 own near3 (identification id)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:31

EAST Search History

S62	0	(redundan\$3) same (stor\$4 writ\$4) near3 own near3 (identification id)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:31
S63	49	(redundan\$3) same (own near3 (identification id))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:33
S64	0	(redundan\$3) same stor\$3 near3 (own near3 (identification id))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:34
S65	73	(redundan\$3) and stor\$3 near3 (own near3 (identification id))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:35
S66	49	(redundan\$3) same (own near3 (identification id))	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:35
S67	2	(redundan\$3) same (own near3 (identification id) adj code)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:36
S68	127	(redundan\$3) and (own near3 (identification id) adj code)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 14:37
S69	13	(redundan\$3) near3 (memory cell) and (own near3 (identification id) adj code)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 15:06
S70	4	("5617364" "5732029" "5808948" "5848003").PN. OR ("6618306").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 16:24
S71	13	("4601019" "5570318" "5617365").PN. OR ("5848003"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 16:24
S72	27	(redundan\$3 near3 (cell memory) and test).ab. and address adj (compar\$5) not (S70 S71)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/27 16:24
S73	15	(US-20020075733-\$ or US-20030237033-\$ or US-20020021592-\$ or US-20030101370-\$ or US-20040042289-\$ or US-20040205308-\$).did. or (US-6574763-\$ or US-5732029-\$ or US-5848003-\$ or US-5617365-\$ or US-6349064-\$ or US-6065141-\$ or US-6480428-\$ or US-6940765-\$ or US-5808948-\$ or US-5684746-\$). did.	US-PGPUB; USPAT	OR	ON	2006/09/27 16:24

EAST Search History

S74	5	S73 and (erase reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:24
S75	4	S73 and (initial\$6) not (S74)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:24
S76	1	"6349064".pn. and redundant near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:24
S77	16	(US-20020075733-\$ or US-20020021592-\$ or US-20030237033-\$ or US-20040042289-\$ or US-20030101370-\$ or US-20040205308-\$).did. or (US-6065141-\$ or US-6349064-\$ or US-6480428-\$ or US-5684746-\$ or US-5617365-\$ or US-6574763-\$ or US-6940765-\$ or US-5732029-\$ or US-5808948-\$ or US-5848003-\$). did.	US-PGPUB; USPAT	OR	ON	2006/09/27 16:24
S78	2	(S72 S73 S75 S76 S77) and @pd>"20060331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:24

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Wed, 27 Sep 2006, 3:26:06 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> own <near/3> (write <or> written <or> store <or> stored))) <in>metadata)</pre>	0
#2	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> own <near/3> (write <or> written <or> store <or> stored))) <in>metadata)</pre>	0
#3	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> own <near/3> (write <or> written <or> store <or> stored))) <in>pdfdata)</pre>	0
#4	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> (write <or> written <or> store <or> stored)))<in>metadata)</pre>	0
#5	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> (write <or> written <or> store <or> stored)))<in>metadata)</pre>	1
#6	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> (write <or> written <or> store <or> stored)))<in>metadata)</pre>	0
#7	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> (write <or> written <or> store <or> stored)))<in>pdfdata)</pre>	63
#8	<pre>(((redundant <or> redundancy) <near/3> (memory <or> cell)) <and> ((address <or> identification <or> id) <near/3> (write <or> written <or> store <or> stored)))<in>pdfdata)</pre>	63
#9	<pre>(((redundant <or> redundancy) <sentence> (address <or> identification <or> id) <near/3> own <near/3> (write <or> written <or> store <or> stored)))<in>metadata)</pre>	0
#10	<pre>(((redundant <or> redundancy) <sentence> (address <or> identification <or> id) <near/3> own <near/3> (write <or> written <or> store <or> stored)))<in>pdfdata)</pre>	0